



Information Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: U20005
Product name: HARPÈ 220

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: General lubrication oil.
Uses advised against: Different uses than those intended.

1.3. Details of the supplier of the safety data sheet

Name: CENTRO DISTRIBUZIONE UTENSILI SCPA
Full address: Via delle Gerole, 19
District and Country: 20867 CAPONAGO (MB)
ITALY
tel. +39 02 95746081
fax. + 39 02 95745182

e-mail address of the competent person

responsible for the Safety Data Sheet
Product distribution by:

info@cdu.net
CENTRO DISTRIBUZIONE UTENSILI SCPA

1.4. Emergency telephone number

For urgent inquiries refer to: CENTRO DISTRIBUZIONE UTENSILI SCPA
+39 02 95746081 (Technical support - Office hour 8.30-13.00 - 14.00-17.30)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication: --

2.2. Label elements

Hazard pictograms: --

Signal words: --

Hazard statements: --

Precautionary statements: --

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
----------------	-------------	--------------------------------

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED		
--	--	--

CAS 101316-72-7	45 \leq x \leq 56	Classification note/notes according to Annex VI to the CLP Regulation: L.
-----------------	-----------------------	---



EC 309-877-7

Substance with extract content in DMSO of less than 3% by weight, determined using the IP 346 method.

INDEX 649-530-00-X

Reg. no. 01-2119489969-06

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

CAS 64742-62-7

$30 \leq x \leq 44$

Classification note/notes according to Annex VI to the CLP Regulation: L.

EC 265-166-0

Substance with extract content in DMSO of less than 3% by weight, determined using the IP 346 method.

INDEX 649-471-00-X

Reg. no. 01-2119480472-38

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of contact with eyes: rinse with plenty of water for at least 15 minutes. Keep the eyelids wide open. Remove contact lenses, if any, if the situation allows you to do this easily. In case of irritation, seek medical attention.

In case of skin contact: remove contaminated clothes and shoes. Wash skin with soap and water. Seek immediate medical attention if irritation, swelling, or redness develops and persists. In case of contact with high temperature product, cool the part with plenty of cold water and cover with gauze or cloths. clean. Call a doctor or take to hospital. Do not apply ice to the burn. DO NOT attempt to remove the portions of clothing attached to the burned skin but cut the edges.

In case of ingestion: do not induce vomiting to avoid aspiration of the product into the lungs. If the person is conscious, rinse the mouth with water without swallowing. Keep at rest. Call a doctor or take to hospital. If the person is unconscious, keep in a safe lateral position. In case of spontaneous vomiting, keep the head down to avoid the risk of aspiration into the lungs. Do not give anything by mouth to an unconscious person.

In case of inhalation: calm the patient, take him to fresh air, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

Symptoms / injuries after eye contact: eye contact may cause slight transient irritation. Contact with hot product or vapors can cause burns.

Symptoms / injuries after skin contact: contact with hot product can cause thermal burns.

Symptoms / injuries after ingestion: accidental ingestion of small quantities can cause irritation, nausea, malaise and gastric disturbances. Given the organoleptic characteristics of the product, the ingestion of dangerous quantities is however to be considered unlikely.

Symptoms / effects after inhalation: the product has a low vapor pressure, which is not at room temperature sufficient to produce a significant concentration of vapors. In case of use at high temperatures, or in case of spray or mist, exposure can cause irritation to the respiratory tract, nausea, malaise and lightheadedness.

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

Local necrosis, evidenced by the principle of pain and delayed tissue damage, which arise a few hours after the subcutaneous injection of the product.

4.3. Indication of any immediate medical attention and special treatment needed

Information for the doctor: symptomatically treatment.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters



HARPÈ 220

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany): 10.

7.3. Specific end use(s)

General lubrication oil.

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Regulatory References:

AUS Österreich

BEL Belgique

DNK Danmark

ESP España

HUN Magyarország

NLD Nederland

SWE Sverige

GBR United Kingdom

TLV-ACGIH

Gesamte Rechtsvorschrift für Grenzwertverordnung 2020 , Fassung vom 15.02.2021

Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail

Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019

Límites de exposición profesional para agentes químicos en España 2019

Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai

kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről

Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen

4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit

Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska

gränsvärden (AFS 2018:1)

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

ACGIH 2020



HARPÈ 220

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
MAK	AUS	5				
VLEP	BEL	5				
TLV	DNK	1		2		
VLA	ESP	5		10		
AK	HUN	5				
TGG	NLD	5				
NGV/KGV	SWE	1		3		
WEL	GBR	5		10		
TLV-ACGIH		5		10		

Predicted no-effect concentration - PNEC

Normal value for the food chain (secondary poisoning) 9,33 mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,74 mg/kg bw/d				
Inhalation							5,6 mg/m3	2,7 mg/m3
Skin								1 mg/kg bw/d

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH		5		10		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

Protect hands with work gloves (see standard EN 374).

SKIN PROTECTION

Wear professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344).

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.



HARPÈ 220

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	liquid
Colour	brown (3 ASTM D 1500)
Odour	characteristic
Odour threshold	Not available
pH	Not applicable
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	> 245 °C
Evaporation Rate	Not available
Flammability of solids and gases	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	0,880 – 0,905 kg/l (15°C)
Solubility	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	198 - 242 cSt (40°C)
Explosive properties	Not available
Oxidising properties	Not available

9.2. Other information

VOC (Directive 2010/75/EC) : 0

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

No dangerous reactions are predictable under normal conditions of storage and handling. Contact with strong oxidants (such as peroxides and chromates) can cause a fire hazard. Sensitivity to heat, friction and shock cannot be assessed in advance.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.



LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

Avoid exposure to: flames, hot surfaces, ignition sources, electrostatic charges.

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

Avoid exposure to: heat sources, naked flames, direct sunlight, sources of ignition.

10.5. Incompatible materials

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

Incompatible with: oxidising agents.

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

Incompatible with: strong acids, strong bases, oxidising agents.

10.6. Hazardous decomposition products

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Incomplete combustion generates carbon monoxide, carbon dioxide and other toxic gases. Combustion products include sulfur oxides (SO₂ and SO₃) and hydrogen sulphide (H₂S), oxygenated compounds (aldehydes, etc.).

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

When heated to decomposition releases: harmful and flammable gases or vapors.

SECTION 11. Toxicological information

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available.

Information on likely routes of exposure

Information not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available.

Interactive effects

Information not available.

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

not classified (no significant component)

ATE (Oral) of the mixture:

not classified (no significant component)

ATE (Dermal) of the mixture:

not classified (no significant component)

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

LD50 (Oral)

> 5000 mg/kg Rat

LD50 (Dermal)

> 2000 mg/kg Rabbit

LC50 (Inhalation)

> 5000 mg/l/4h Rat

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

LD50 (Oral)

> 5000 mg/kg Rat (OECD 401)

LD50 (Dermal)

> 2000 mg/kg bw Rabbit (OECD 402)

LC50 (Inhalation)

> 2,18 mg/l/4h Rat (OECD 403)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class.

**RESPIRATORY OR SKIN SENSITISATION**

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED

LL50 – for Fish	> 100 mg/l/96h
EL50 – for Daphnia	> 10000 mg/l/48h
LL50 – for Crustacea	> 100 mg/l
NOEL – for Crustacea	> 1 mg/l

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

EC50 - for Crustacea	> 10000 mg/l/48h (OECD 202)
EC50 - for Algae / Aquatic Plants	> 100 mg/l/72h <i>Pseudokirchneriella subcapitata</i> (OECD 201)
Chronic NOEC for Fish	> 1000 mg/l 14d - <i>Oncorhynchus mykiss</i>
Chronic NOEC for Crustacea	> 1000 mg/l 21d (OECD 211)

12.2. Persistence and degradability

LUBRICATING OILS (PETROLEUM), C24-50, SOLVENT-EXTD., DEWAXED, HYDROGENATED

Entirely degradable

12.3. Bioaccumulative potential

Information not available.

12.4. Mobility in soil

Information not available.

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available.



SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Not applicable.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant.

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None.

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.



HARPÈ 220

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls

Information not available.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the mixture.

SECTION 16. Other information

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)



15. Regulation (EU) 2018/1480 (XIII Atp. CLP)

16. Regulation (EU) 2019/521 (XII Atp. CLP)

17. Regulation (EU) 2019/1148

18. Regulation (EU) 2020/217 (XIV Atp. CLP)

- The Merck Index. - 10th Edition

- Handling Chemical Safety

- INRS - Fiche Toxicologique (toxicological sheet)

- Patty - Industrial Hygiene and Toxicology

- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

- IFA GESTIS website

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

The product is not classified as dangerous according to Regulation (EU) 1272/2008 (CLP) and therefore the provision of a Safety Data Sheet is not mandatory (REACH Regulation Art. 31). This Information Sheet constitutes a voluntary presentation of some information for the downstream user.